

Easyviz Documentation

H. P. Langtangen^{1,2}

J. H. Ring¹

¹Simula Research Laboratory

²Univ. of Oslo

Jun 21, 2015

Contents

1	Easyviz	1
1.1	Easyviz Documentation	2
1.2	Guiding Principles	2
2	Tutorial	4
2.1	A Note on Import Statements	4
2.2	Plotting a Single Curve	5
2.3	Controlling Line Styles	6
2.4	Decorating the Plot	9
2.5	Using Logarithmic Scales	10
2.6	Plotting Multiple Curves	11
2.7	Making Multiple Figures	13
2.8	Math Syntax in Legends and Titles	17
2.9	Interactive Plotting Sessions	18
2.10	Curves in 3D Space	19
2.11	Making Animations	20
2.12	Controlling the Aspect Ratio of Axes	24
2.13	Moving Plot Window	25
2.14	Advanced Easyviz Topics	26
3	Visualization of Scalar Fields	33
3.1	Elevated Surface Plots	34
3.2	Contour Plots	35
3.3	Pseudocolor Plots	38
3.4	Isosurface Plots	39
3.5	Volumetric Slice Plot	40

4	Visualization of Vector Fields	48
4.1	Quiver Plots	48
4.2	Stream Plots	49
4.3	Bar Charts	52
5	Backends	56
6	Design	57
6.1	Main Objects	57
7	Installation	58
7.1	Installing Gnuplot	59
7.2	Linux/Unix	59
7.3	Windows	59
7.4	Installing Matplotlib	60
8	Troubleshooting	61
8.1	Suddenly my old plots have markers	61
8.2	Can I Perform a Diagnostic Test of Easyviz?	61
8.3	The Plot Window Disappears Immediately	61
8.4	I Get Thread Errors While Plotting	61
8.5	I Get Strange Errors Saying Something About L ^A T _E X	62
8.6	Old Programs with 2D Scalar/Vector Field Plotting Do Not Work	62
8.7	Check Your Backends!	62
8.8	Can I Easily Turn Off All Plotting?	63
8.9	How Can I Change the Type of Gnuplot Window?	63
8.10	How Can The Aspect Ratio of The Axes Be Controlled?	63
8.11	Trouble with Gnuplot and Threads	64
8.12	Trouble with Movie Making	64
8.13	I Get Thread Errors with Gnuplot	64
8.14	Where Can I Find Easyviz Documentation?	65
8.15	Grace Gives Error Messages When Calling Savefig/Hardcopy	65
8.16	I Cannot Find Out How My Plot Can Be Created	65

1 Easyviz

Easyviz is a unified interface to various packages for scientific visualization and plotting. The Easyviz interface is written in Python with the purpose of making it very easy to visualize data in Python scripts. Both curve plots and more advanced 2D/3D visualization of scalar and vector fields are supported. The Easyviz interface was designed with three ideas in mind: 1) a simple, Matlab-like syntax; 2) a unified interface to lots of visualization engines (called backends later): Gnuplot, Matplotlib, Grace, Veusz, Pmw.Blt.Graph, PyX, Matlab, VTK,

VisIt, OpenDX; and 3) a minimalistic interface which offers only basic control of plots: curves, linestyle, legends, title, axis extent and names. More fine-tuning of plots can be done by invoking backend-specific commands.

Easyviz was made back in 2005/2006 so that one can postpone the choice of a particular visualization package (and its special associated syntax). This is often useful when you quickly need to visualize curves or 2D/3D fields in your Python program, but haven't really decided which plotting tool to go for. As Python is gaining popularity at universities, students are often forced to continuously switch between Matlab and Python, which is straightforward for array computing, but (previously) annoying for plotting. Easyviz was therefore also made to ease the switch between Python and Matlab. In recent years, Matplotlib has emerged as the standard plotting package for Python, and Matplotlib offers a Matlab-like interface. Many will prefer to use Matplotlib and its rich documentation directly rather than going through the more limited Easyviz interface (and having the flexibility to use other plotting engines).

If you encounter problems with using Easyviz, please visit the *Troubleshooting* chapter and the *Installation* chapter at the end of the documentation.

1.1 Easyviz Documentation

The present documentation is available in a number of formats:

- [PDF](#)
- [Plain HTML](#)
- [Sphinx HTML](#)
- [Plain text](#)
- [Wiki](#)
- [DocOnce source](#)

The documentation is written in the [DocOnce](#) format and can be translated into a number of different formats (reST, Sphinx, L^AT_EX, HTML, XML, OpenOffice, RTF, Word, and plain untagged ASCII).

1.2 Guiding Principles

First principle. Array data can be plotted with a minimal set of keystrokes using a Matlab-like syntax. A simple

```
t = linspace(0, 3, 51)    # 51 points between 0 and 3
y = t**2*exp(-t**2)
plot(t, y)
```

plots the data in (the NumPy array) `t` versus the data in (the NumPy array) `y`. If you need legends, control of the axis, as well as additional curves, all this is obtained by the standard Matlab-style commands

```

y2 = t**4*exp(-t**2)
# pick out each 4 points and add random noise:
t3 = t[::4]
y3 = y2[::4] + random.normal(loc=0, scale=0.02, size=len(t3))

plot(t, y1, 'r-')
hold('on')
plot(t, y2, 'b-')
plot(t3, y3, 'bo')
legend('t^2*exp(-t^2)', 't^4*exp(-t^2)', 'data')
title('Simple Plot Demo')
axis([0, 3, -0.05, 0.6])
xlabel('t')
ylabel('y')
show()

hardcopy('tmp0.eps') # this one can be included in LaTeX
hardcopy('tmp0.png') # this one can be included in HTML

```

Easyviz also allows these additional function calls to be executed as a part of the plot call:

```

plot(t, y1, 'r-', t, y2, 'b-', t3, y3, 'bo',
     legend=('t^2*exp(-t^2)', 't^4*exp(-t^2)', 'data'),
     title='Simple Plot Demo',
     axis=(0, 3, -0.05, 0.6),
     xlabel='t', ylabel='y',
     hardcopy='tmp1.eps',
     show=True)

hardcopy('tmp0.png')

```

A scalar function $f(x, y)$ may be visualized as an elevated surface with colors using these commands:

```

x = linspace(-2, 2, 41) # 41 point on [-2, 2]
xv, yv = ndgrid(x, x) # define a 2D grid with points (xv,yv)
values = f(xv, yv) # function values
surf(xv, yv, values,
     shading='interp',
     clevels=15,
     clabels='on',
     hidden='on',
     show=True)

```

Second principle. Easyviz is just a unified interface to other plotting packages that can be called from Python. Such plotting packages are referred to as backends. Several backends are supported: Gnuplot, Matplotlib, Grace (Xmgr), Veusz, Pmw.Blt.Graph, PyX, Matlab, VTK, VisIt, OpenDX. In other words, scripts that use Easyviz commands only, can work with a variety of backends, depending on what you have installed on the machine in question and what quality of the plots you demand. For example, switching from Gnuplot to Matplotlib is trivial.

Scripts with Easyviz commands will most probably run anywhere since at least the Gnuplot package can always be installed right away on any platform. In practice this means that when you write a script to automate investigation

of a scientific problem, you can always quickly plot your data with Easyviz (i.e., Matlab-like) commands and postpone to marry any specific plotting tool. Most likely, the choice of plotting backend can remain flexible. This will also allow old scripts to work with new fancy plotting packages in the future if Easyviz backends are written for those packages.

Third principle. The Easyviz interface is minimalistic, aimed at rapid prototyping of plots. This makes the Easyviz code easy to read and extend (e.g., with new backends). If you need more sophisticated plotting, like controlling tickmarks, inserting annotations, etc., you must grab the backend object and use the backend-specific syntax to fine-tune the plot. The idea is that you can get away with Easyviz and a plotting package-independent script "95 percent" of the time - only now and then there will be demand for package-dependent code for fine-tuning and customization of figures.

These three principles and the Easyviz implementation make simple things simple and unified, and complicated things are not more complicated than they would otherwise be. You can always start out with the simple commands - and jump to complicated fine-tuning only when strictly needed.

2 Tutorial

This tutorial starts with plotting a single curve with a simple `plot(x,y)` command. Then we add a legend, axis labels, a title, etc. Thereafter we show how multiple curves are plotted together. We also explain how line styles and axis range can be controlled. The next topic deals with animations and making movie files. More advanced subjects, such as fine tuning of plots (using plotting package-specific commands) and working with Axis and Figure objects, close the curve plotting part of the tutorial.

Various methods for visualization of scalar fields in 2D and 3D are treated next, before we show how 2D and 3D vector fields can be handled.

2.1 A Note on Import Statements

The recommended standard import of `numpy` and `matplotlib` in programs reads:

```
import numpy as np
import matplotlib.pyplot as plt
```

This import ensures that all functionality from different packages are prefixed by a short form of the package name. This convention has, from a computer science perspective, many advantages as one sees clearly where functionality comes from. However, convincing scientists with extensive Matlab, Fortran, or C++ experience to switch to Python can be hard when mathematical formulas are full of `np.` prefixes and all plotting commands are decorated with an "extra" `plt.` The developers of Easyviz think it is a major point to have Python code

as close to Matlab and standard mathematical syntax as possible. Therefore, examples in this manual employ the "star import":

```
from scitools.std import *
```

This statement imports the Easyviz plotting commands and also performs `from numpy import *`. Hence, mathematical functions like `sin` and `log` are available and work for arrays, as in Matlab, and the plotting commands are the same as those in Matlab. This type of import statement is similar to the popular

```
from matplotlib.pyplot import *
```

among Matplotlib users (although not promoted by Matplotlib developers). The primary additional feature of the `scitools.std` import is the possibility to choose among many different backends for plotting, where Matplotlib is one of the options.

2.2 Plotting a Single Curve

Let us plot the curve $y = t^2 \exp(-t^2)$ for t values between 0 and 3. First we generate equally spaced coordinates for t , say 31 values (30 intervals). Then we compute the corresponding y values at these points, before we call the `plot(t,y)` command to make the curve plot. Here is the complete program:

```
from scitools.std import *

def f(t):
    return t**2*exp(-t**2)

t = linspace(0, 3, 31)    # 31 points between 0 and 3
y = zeros(len(t))        # allocate y with float elements
for i in xrange(len(t)):
    y[i] = f(t[i])

plot(t, y)
show() # optional
```

If you have problems running this file, make sure you have installed SciTools and one or more plotting programs, see Chapter 7.

The first line imports all of SciTools and Easyviz that can be handy to have when doing scientific computations. This includes everything from `numpy` (from `numpy import *`), all Easyviz plotting commands, some modules (`sys`, `math`), and all of SciPy (from `scipy import *`) if SciPy is installed. In the program above, we first pre-allocate the `y` array and fill it with values, element by element, in a Python loop. Alternatively, we may operate on the whole `t` array at once, which yields faster and shorter code:

```
from scitools.std import *

def f(t):
    return t**2*exp(-t**2)

t = linspace(0, 3, 31)    # 31 points between 0 and 3
```

```

y = f(t)                # compute all f values at once
plot(t, y)
show()                  # optional

```

The `f` function can also be skipped, if desired, so that we can write directly

```
y = t**2*exp(-t**2)
```

To include the plot in electronic documents, we need a hardcopy of the figure in PostScript, PNG, or another image format. The `savefig` command produces files with images in various formats:

```

savefig('tmp1.eps') # produce PostScript
savefig('tmp1.png') # produce PNG
savefig('tmp1.pdf') # produce PDF
savefig('tmp1.svg') # produce SVG (not supported in all backends)

```

An alternative name for `savefig` is `hardcopy`:

```

hardcopy('tmp1.eps') # produce PostScript
hardcopy('tmp1.png') # produce PNG
hardcopy('tmp1.pdf') # produce PDF

```

The filename extension determines the format: `.ps` or `.eps` for PostScript, `.png` for PNG, `.pdf` for PDF, and `.svg` for SVG. Figures 1 and 2 display the resulting image file with the plot, as generated with the Gnuplot and Matplotlib plotting packages, respectively. With `show(False)` we can suppress the plot from being shown at the screen, which is useful when creating a large number of figure files in programs.

On some platforms, some backends may result in a plot that is shown in just a fraction of a second on the screen before the plot window disappears (using the Gnuplot backend on Windows machines or using the Matplotlib backend constitute two examples). To make the window stay on the screen, add

```
raw_input('Press the Return key to quit: ')
```

at the end of the program. The plot window is killed when the program terminates, and this statement postpones the termination until the user hits the Return key.

2.3 Controlling Line Styles

By default, Easyviz plots a curve with a solid line of thickness 1 and markers at each data point. If the number of data points exceeds 61, just 15 equally spaced markers are drawn to avoid cluttering the plot. This default behavior is inspired by the usual needs to include markers to distinguish multiple curves plots, especially if image files are to appear in black and white in printed reports. However, the line style and markers can easily be controlled by adding a string `s` after the `y` argument: `plot(x, y, s)`. The syntax of the string `s` is inspired by Matlab. For example, `r-` means a red solid line of unit thickness and no markers (see Figure 3), `r--` means a red dashed line, `r-o` means a red solid line with circles as markers at each data point, `r--o` is the same except that the




Figure 1: Default plot generated by Gnuplot.

line is dashed. In general, if `s` is `clms`, the first character `c` is the color, `l` is the line type, `m` is the marker type, and `s` is the size of the line and marker. A blue line with thickness 6 and cross symbols as markers of size 6 is specified by `b-x6`. The effect of the given line thickness and symbol size depends on the underlying plotting program. One can omit the line type or color: `y0` specifies yellow circles and `-` gives solid line of thickness 1 and default color .

The different available line colors include

- yellow: 'y'
- magenta: 'm'
- cyan: 'c'
- red: 'r'
- green: 'g'
- blue: 'b'
- white: 'w'
- black: 'k'

The different available line types are

- solid line: '-'




Figure 2: Default plot generated by Matplotlib.

- dashed line: '--'
- dotted line: ':'
- dash-dot line: '-.'

Lots of markers at data points are available:

- plus sign: '+'
- circle: 'o'
- asterisk: '*'
- point: '.'
- cross: 'x'
- square: 's'
- diamond: 'd'
- upward-pointing triangle: '^'
- downward-pointing triangle: 'v'
- right-pointing triangle: '>'




Figure 3: Red solid line.

- left-pointing triangle: '<'
- five-point star (pentagram): 'p'
- six-point star (hexagram): 'h'
- no marker (default): None

During programming, you can find all these details in the documentation of the `plot` function. Just type `help(plot)` in an interactive Python shell or invoke `pydoc` with `scitools.easyviz.plot`. This tutorial is available through `pydoc scitools.easyviz`.

We remark that in the Gnuplot program all the different line types are drawn as solid lines on the screen. The hardcopy chooses automatically different line types (solid, dashed, etc.) and not in accordance with the line type specification.

2.4 Decorating the Plot

The x and y axes in curve plots should have labels, here t and y , respectively. Also, the curve should be identified with a label, or legend as it is often called. A title above the plot is also common. In addition, we may want to control the extent of the axes (although most plotting programs will automatically adjust the axes to the range of the data). All such things are easily added after the `plot` command:

```
plot(x, y, 'r-')
xlabel('t')
```




Figure 4: A single curve with label, title, and axes adjusted.

```
ylabel('y')
legend('t2*exp(-t2)')
axis([0, 3, -0.05, 0.6]) # [tmin, tmax, ymin, ymax]
title('My First Easyviz Demo')
```

This syntax is inspired by Matlab to make the switch between Easyviz and Matlab almost trivial. Easyviz has also introduced a more "Pythonic" plot command where all the plot properties can be set at once:

```
plot(t, y, 'r-',
      xlabel='t',
      ylabel='y',
      legend='t2*exp(-t2)',
      axis=[0, 3, -0.05, 0.6],
      title='My First Easyviz Demo',
      savefig='tmp1.eps', # or hardcopy='tmp1.eps'
      show=True)
```

With `show=False` one can avoid the plot window on the screen and just make the hardcopy. This feature is particularly useful if one generates a large number of separate figures in the program. The keyword `savefig` can be replaced by `hardcopy` if desired.

Note that we in the curve legend write `t` square as `t2` (L^AT_EX style) rather than `t**2` (program style). Whichever form you choose is up to you, but the L^AT_EX form sometimes looks better in some plotting programs (Matplotlib and Gnuplot are two examples). See Figure 4 for what the modified plot looks like and how `t2` is typeset in Gnuplot.




Figure 5: Logarithmic scale on one axis.

2.5 Using Logarithmic Scales

Sometimes logarithmic scales are need on the x or y axis. This is easily specified by replacing `plot(x,y)` by `loglog(x,y)`, `semilogx(x,y)`, or `semilogy(x,y)` for the three cases of logarithmic scales on both axes, on the x axis only, or on the y axis only. A complete example, displayed in Figure 5, reads

```
def f(t):
    return exp(-t**2)

t = linspace(0, 3, 51)    # 51 points between 0 and 3
y = f(t)
semilogy(t, y, 'r-2')

xlabel('t')
ylabel('y')
legend('exp(-t^2)')
title('Logarithmic scale on the y axis')
```

The specification of logarithmic scales can also be done through keyword arguments to the plot function: `log='xy'`, `log='x'`, or `log='y'`, which should be self-explaining syntax. The following call produces the same plot as above.

```
plot(t, y, 'r-2',
     log='y',
     xlabel='t',
     ylabel='y',
     legend='exp(-t^2)',
     title='Logarithmic scale on the y axis',
     savefig='tmp1.png',
     show=True)
```

2.6 Plotting Multiple Curves

A common plotting task is to compare two or more curves, which requires multiple curves to be drawn in the same plot. Suppose we want to plot the two functions $f_1(t) = t^2 \exp(-t^2)$ and $f_2(t) = t^4 \exp(-t^2)$. If we write two `plot` commands after each other, two separate plots will be made. To make the second `plot` command draw the curve in the first plot, we need to issue a `hold('on')` command. Alternatively, we can provide all data in a single `plot` command. A complete program illustrates the different approaches:

```
from scitools.std import *    # for curve plotting

def f1(t):
    return t**2*exp(-t**2)

def f2(t):
    return t**2*f1(t)

t = linspace(0, 3, 51)
y1 = f1(t)
y2 = f2(t)

# Matlab-style syntax
plot(t, y1)
hold('on')
plot(t, y2)

xlabel('t')
ylabel('y')
legend('t^2*exp(-t^2)', 't^4*exp(-t^2)')
title('Plotting two curves in the same plot')
savefig('tmp2.eps') # or hardcopy('tmp2.eps')

# Alternative "Pythonic" style
plot(t, y1, t, y2, xlabel='t', ylabel='y',
      legend=('t^2*exp(-t^2)', 't^4*exp(-t^2)'),
      title='Plotting two curves in the same plot',
      savefig='tmp2.eps')
```

The sequence of the multiple legends is such that the first legend corresponds to the first curve, the second legend to the second curve, and so on. The visual result appears in Figure 6.

Doing a `hold('off')` makes the next `plot` command create a new plot in the same window. This new plot just erases the previous curves.

With the keyword argument `grid=True` to `plot` we can add a grid, which is frequently used when plotting curves (see Figure 7).

The default location of the legends is dependent on the backend (some have a fixed location, like Gnuplot, and some try to find the most optimal location, like Matplotlib). One can control the location by the `loc` keyword to the `legend` function, e.g.,

```
legend('t^2*exp(-t^2)', 't^4*exp(-t^2)', loc='upper left')
```

The most popular values are upper right, upper left, lower left, and lower right, depending on the shape of the curves and extend of the axes. The keyword




Figure 6: Two curves in the same plot, PNG file produced by Gnuplot.

argument `fancybox` draws a box around the legends if `True`, otherwise no box is drawn. The corresponding keywords for the `plot` function are `legend_loc` and `legend_fancybox`:

```
plot(t, y1, t, y2, xlabel='t', ylabel='y',
      legend=('t^2*exp(-t^2)', 't^4*exp(-t^2)'),
      legend_loc='upper left', legend_fancybox=True,
      axis=[0, 4, -0.1, 0.8],
      title='Plotting two curves in the same plot',
      savefig='tmp2.eps')
```

The `loc` and `fancybox` specifications work (at present) with Gnuplot and Matplotlib only.

The `legend` function also accepts a list of legends instead of the legends as separate positional arguments. This allows an overlapping syntax between Matplotlib and Easyviz so that the same code can apply either of the packages (however, Matplotlib's keywords to `plot`, like `label` and `linewidth`, are not recognized so not all syntax is interchangeable).

2.7 Making Multiple Figures

The `hold` command either adds a new curve or replaces old curve(s) by new ones. Often one wants to make multiple figures in a program, realized as multiple windows on the screen. The `figure()` command creates a new figure:

```
x = linspace(-2, 2, 81)
y1 = sin(pi*x)*exp(-0.5*x**2)
```




Figure 7: Curves with a grid.

```

plot(x, y1)

figure() # separate plot window
y2 = sin(pi*x/2)*exp(-0.5*x**2)
plot(x, y2)

figure() # yet another plot window
y3 = sin(pi*x/4)*exp(-0.5*x**2)
plot(x, y3)

```

More information in the `figure` command is found later on under the heading *Working with Axis and Figure Objects*.

When plotting multiple curves in the same plot, the individual curves get distinct default line styles, depending on the program that is used to produce the curve (and the settings for this program). It might well happen that you get a green and a red curve (which is bad for a significant portion of the male population). Therefore, we often want to control the line style in detail when plotting multiple curves.

Say we want the first curve (`t` and `y1`) to be drawn as a red solid line (`r-`) and the second curve (`t` and `y2`) as blue circles (`bo`) at the discrete data points:

```

plot(t, y1, 'r-')
hold('on')
plot(t, y2, 'bo')

# or
plot(t, y1, 'r-', t, y2, 'bo')

```

The resulting effect can be seen in Figure 9.




Figure 8: A figure with legends placed to the upper left with a box frame.

Assume now that we want to plot the blue circles at every 4 points only. We can grab every 4 points out of the t array by using an appropriate slice: $t2 = t[::4]$. Note that the first colon means the range from the first to the last data point, while the second colon separates this range from the stride, i.e., how many points we should "jump over" when we pick out a set of values of the array.

```

from scitools.std import *

def f1(t):
    return t**2*exp(-t**2)

def f2(t):
    return t**2*f1(t)

t = linspace(0, 3, 51)
y1 = f1(t)
t2 = t[::4]
y2 = f2(t2)

plot(t, y1, 'r-6', t2, y2, 'bo3',
      xlabel='t', ylabel='y',
      axis=[0, 4, -0.1, 0.6],
      legend=('t^2*exp(-t^2)', 't^4*exp(-t^2)'),
      title='Plotting two curves in the same plot',
      hardcopy='tmp2.eps')

```

In this plot we also adjust the size of the line and the circles by adding an integer: $r-6$ means a red line with thickness 6 and $bo5$ means red circles with




Figure 9: Two curves in the same plot, with controlled line styles.

size 5. The effect of the given line thickness and symbol size depends on the underlying plotting program. For the Gnuplot program one can view the effect in Figure 10.

Another Example. Let us extend the previous example with a third curve where the data points are slightly randomly distributed around the $f_2(t)$ curve:

```

from scitools.std import *

def f1(t):
    return t**2*exp(-t**2)

def f2(t):
    return t**2*f1(t)

t = linspace(0, 3, 51)
y1 = f1(t)
y2 = f2(t)

# Pick out each 4 points and add random noise
t3 = t[::4] # slice, stride 4
random.seed(11) # fix random sequence
noise = random.normal(loc=0, scale=0.02, size=len(t3))
y3 = y2[::4] + noise

plot(t, y1, 'r-')
hold('on')
plot(t, y2, 'ks-') # black solid line with squares at data points
plot(t3, y3, 'bo')

```




Figure 10: Circles at every 4 points and extended line thickness (6) and circle size (3).

```

legend('t^2*exp(-t^2)', 't^4*exp(-t^2)', 'data')
title('Simple Plot Demo')
axis([0, 3, -0.05, 0.6])
xlabel('t')
ylabel('y')
show()
savefig('tmp3.eps') # or hardcopy
savefig('tmp3.png') # or hardcopy

```

The plot is shown in Figure 11.

Minimalistic Typing. When exploring mathematics in the interactive Python shell, most of us are interested in the quickest possible commands. Here is an example of minimalistic syntax for comparing the two sample functions we have used in the previous examples:

```

t = linspace(0, 3, 51)
plot(t, t**2*exp(-t**2), t, t**4*exp(-t**2))

```

Text. A text can be placed at a point (x, y) using the call

```

text(x, y, 'Some text')

```

More Examples. The examples in this tutorial, as well as additional examples, can be found in the `examples` directory in the root directory of the SciTools source code tree.




Figure 11: A plot with three curves.

2.8 Math Syntax in Legends and Titles

Some backends understand some mathematical syntax. Easyviz accepts LaTeX-style syntax and translates it to something appropriate for the background in question. As a rule of thumb, write plain \LaTeX syntax if you need mathematical symbols and expressions in legends and titles. Matplotlib will show the result in an excellent way, Gnuplot PostScript output will handle super- and subscripts as well as greek letters. All other backends will strip off backslashes, dollar signs, curly braces, and other annoying \LaTeX syntax. Normally, power expressions with double multiplication symbols are replaced by a hat.

2.9 Interactive Plotting Sessions

All the Easyviz commands can of course be issued in an interactive Python session. The only thing to comment is that the `plot` command returns a result:

```
>>> t = linspace(0, 3, 51)
>>> plot(t, t**2*exp(-t**2))
[<scitools.easyviz.common.Line object at 0xb5727f6c>]
```

Most users will just ignore this output line.

All Easyviz commands that produce a plot return an object reflecting the particular type of plot. The `plot` command returns a list of `Line` objects, one for each curve in the plot. These `Line` objects can be invoked to see, for instance, the value of different parameters in the plot:

```

>>> line, = plot(x, y, 'b')
>>> getp(line)
{'description': '',
 'dims': (4, 1, 1),
 'legend': '',
 'linecolor': 'b',
 'pointsize': 1.0,
 ...

```

Such output is mostly of interest to advanced users.

2.10 Curves in 3D Space

Easyviz also supports curves in 3D space through the `plot3` function. It works as `plot`, except that it accepts three coordinates: `plot3(x, y, z, 'b-')`. Here is an example of how to plot the parametric curve

$$\begin{aligned}
 x(t) &= (2t + 2) \sin(10t), \\
 y(t) &= (2t + 2) \cos(10t), \\
 z(t) &= t,
 \end{aligned}$$

for $t \in [-5, 5]$. The corresponding code reads

```

from scitools.std import *
t = linspace(-5, 5, 501)
x = (2+t**2)*sin(10*t)
y = (2+t**2)*cos(10*t)
z = t
plot3(x, y, z, 'r-')
grid('on')
xlabel('x(t)')
ylabel('y(t)')
zlabel('z(t)')
title('plot3 example')

```

Figure 12 shows the resulting plot. The file `examples/plot3_demo.py` contains this and more examples.

2.11 Making Animations

A sequence of plots can be combined into an animation and stored in a movie file. First we need to generate a series of hardcopies, i.e., plots stored in files. Thereafter we must use a tool to combine the individual plot files into a movie file.

Example. The function $f(x; m, s) = (2\pi)^{-1/2} s^{-1} \exp\left[-\frac{1}{2} \left(\frac{x-m}{s}\right)^2\right]$ is known as the Gaussian function or the probability density function of the normal (or Gaussian) distribution. This bell-shaped function is "wide" for large s and "peak-formed" for small s , see Figure 13. The function is symmetric around $x = m$ ($m = 0$ in the figure). Our goal is to make an animation where we see how this




Figure 12: Example of curve in 3D space.

function evolves as s is decreased. In Python we implement the formula above as a function $f(x, m, s)$.

The animation is created by varying s in a loop and for each s issue a `plot` command. A moving curve is then visible on the screen. One can also make a movie file that can be played as any other computer movie using a standard movie player. To this end, each plot is saved to a file, and all the files are combined together using some suitable tool, which is reached through the `movie` function in Easyviz. All necessary steps will be apparent in the complete program below, but before diving into the code we need to comment upon a couple of issues with setting up the `plot` command for animations.

The underlying plotting program will normally adjust the y axis to the maximum and minimum values of the curve if we do not specify the axis ranges explicitly. For an animation such automatic axis adjustment is misleading - the axis ranges must be fixed to avoid a jumping axis. The relevant values for the axis range is the minimum and maximum value of f . The minimum value is zero, while the maximum value appears for $x = m$ and increases with decreasing s . The range of the y axis must therefore be $[0, f(m; m, \min s)]$.

The function f is defined for all $-\infty < x < \infty$, but the function value is very small already $3s$ away from $x = m$. We may therefore limit the x coordinates to $[m - 3s, m + 3s]$.

Now we are ready to take a look at the complete code for animating how the Gaussian function evolves as the s parameter is decreased from 2 to 0.2:

```
from scitools.std import *
import time
```




Figure 13: Different shapes of a Gaussian function.

```
def f(x, m, s):
    return (1.0/(sqrt(2*pi)*s))*exp(-0.5*((x-m)/s)**2)

m = 0
s_start = 2
s_stop = 0.2
s_values = linspace(s_start, s_stop, 30)
x = linspace(m -3*s_start, m + 3*s_start, 1000)
# f is max for x=m; smaller s gives larger max value
max_f = f(m, m, s_stop)

# Show the movie on the screen
# and make hardcopies of frames simultaneously
counter = 0
for s in s_values:
    y = f(x, m, s)
    plot(x, y, axis=[x[0], x[-1], -0.1, max_f],
         xlabel='x', ylabel='f', legend='s=%4.2f' % s,
         hardcopy='tmp%04d.png' % counter)
    counter += 1
    #time.sleep(0.2) # can insert a pause to control movie speed

# Make movie file the simplest possible way
movie('tmp*.png')
```

Note that the s values are decreasing (`linspace` handles this automatically if the start value is greater than the stop value). Also note that we, simply because we think it is visually more attractive, let the y axis go from -0.1 although the f function is always greater than zero.

Remarks on Filenames. For each frame (plot) in the movie we store the plot in a file. The different files need different names and an easy way of referring to the set of files in right order. We therefore suggest to use filenames of the form `tmp0001.png`, `tmp0002.png`, `tmp0003.png`, etc. The printf format `04d` pads the integers with zeros such that 1 becomes 0001, 13 becomes 0013 and so on. The expression `tmp*.png` will now expand (by an alphabetic sort) to a list of all files in proper order. Without the padding with zeros, i.e., names of the form `tmp1.png`, `tmp2.png`, ..., `tmp12.png`, etc., the alphabetic order will give a wrong sequence of frames in the movie. For instance, `tmp12.png` will appear before `tmp2.png`.

Note that the names of plot files specified when making hardcopies must be consistent with the specification of names in the call to `movie`. Typically, one applies a Unix wildcard notation in the call to `movie`, say `plotfile*.png`, where the asterisk will match any set of characters. When specifying hardcopies, we must then use a filename that is consistent with `plotfile*.png`, that is, the filename must start with `plotfile` and end with `.png`, but in between these two parts we are free to construct (e.g.) a frame number padded with zeros.

We recommend to always remove previously generated plot files before a new set of files is made. Otherwise, the movie may get old and new files mixed up. The following Python code removes all files of the form `tmp*.png`:

```
import glob, os
for filename in glob.glob('tmp*.png'):
    os.remove(filename)
```

These code lines should be inserted at the beginning of the code example above. Alternatively, one may store all plotfiles in a subfolder and later delete the subfolder. Here is a suitable code segment:

```
import shutil, os
subdir = 'temp' # name of subfolder for plot files
if os.path.isdir(subdir): # does the subfolder already exist?
    shutil.rmtree(subdir) # delete the whole folder
os.mkdir(subdir) # make new subfolder
os.chdir(subdir) # move to subfolder
# ...perform all the plotting...
# ...make movie...
os.chdir(os.pardir) # optional: move up to parent folder
```

Movie Formats. Having a set of (e.g.) `tmp*.png` files, one can simply generate a movie by a `movie('tmp*.png')` call. The format of the movie is determined by which video encoders that are installed on the computer. The `movie` function runs through a list of encoders (`convert`, `mencoder`, `ffmpeg` `mpeg_encode`, `ppmtompeg`, `mpeg2enc`, `html`) and chooses the first one which is installed. The fall back encoder `html` actually does not create a video file, but makes insetad an HTML file that can play the series of hardcopies made (`tmp*.png`, for instance). When no filename is given to the `movie` function, the output file with the movie has filestem `movie` and extension depending on the video format and the encoder used. For example, if `convert` was used to create an animated GIF

file, the default output file is `movie.gif`. Similarly, `movie.avi` is in AVI format, `movie.mpeg` is in MPEG format, and so forth.

You can get complete control of the movie format and the name of the movie file by supplying the `encoder` and `output_file` arguments to the `movie` function. This is the recommended use. Here is an example on generating an animated GIF file `tmpmovie.gif` with the `convert` program from the ImageMagick software suite:

```
movie('tmp_*.png', encoder='convert', fps=2,
      output_file='tmpmovie.gif')
```

This call requires ImageMagick to be installed on the machine. The argument `fps` stands for frames per second so here the speed of the movie is slow in that there is a delay of half a second between each frame (image file). To view the animated GIF file, one can use the `animate` program (also from ImageMagick) and give the movie file as command-line argument. One can alternatively put the GIF file in a web page in an `IMG` tag such that a browser automatically displays the movie.

Making an HTML file that can play the movie in a web browser is carried out by the call

```
movie('tmp_*.png', encoder='html', fps=10,
      output_file='tmpmovie.html')
```

Just load `tmpmovie.html` into a browser (e.g., run `firefox tmpmovie.html` from the command line).

An AVI movie can be generated by the call

```
movie('tmp_*.png', encoder='ffmpeg', fps=4,
      output_file='tmpmovie.avi'),
```

Alternatively, we may generate an MPEG movie using the `ppmtompeg` encoder from the Netpbm suite of image manipulation tools:

```
movie('tmp_*.png', encoder='ppmtompeg', fps=24,
      output_file='tmpmovie.mpeg'),
```

The `ppmtompeg` supports only a few (high) frame rates.

The next sample call to `movie` uses the `Mencoder` tool and specifies some additional arguments (video codec, video bitrate, and the quantization scale):

```
movie('tmp_*.png', encoder='mencoder', fps=24,
      output_file='tmpmovie.mpeg',
      vcodec='mpeg2video', vbitrate=2400, qscale=4)
```

Here is yet another example:

```
movie('tmp_*.png', encoder='ffmpeg',
      output_file='tmpmovie1c.mpeg', vcodec='mpeg2video')
```

The file `examples/movie_demo1.py` that comes with the SciTools source code generates frames in a movie and creates movie files in many formats.

Playing movie files can be done by a lot of programs. Windows Media Player is a default choice on Windows machines. On Unix, a variety of tools can be used. For animated GIF files the `animate` program from the ImageMagick suite is suitable, or one can simply show the file in a web page with the HTML command ``. AVI and MPEG files can be played by, for example, the `myplayer`, `vlc`, or `totem` programs.

Making Movies in Batch. Sometimes it is desired to carry out large numbers of computer experiments and create movies in each individual experiments. Then one probably does not want to have the screen full of movie windows. To turn off showing the movie on the screen while creating the individual frames, just give the `show=False` keyword argument to the `plot` function. All hardcopies and the movies are then made in batch, which also might speed up the program since rendering graphics on the screen is avoided.

2.12 Controlling the Aspect Ratio of Axes

By default, Gnuplot, Matplotlib and other plotting packages automatically calculate suitable physical sizes of the axis in the plotting window. However, sometimes one wants to control this, i.e., impose a certain ratio of the physical extent of the axis.

In the `gnuplot` and `matplotlib` backends, we set `daspectmode=manual` and `daspect=[r,1,1]`, where `r` is the ratio of the y-axis length to the x-axis length (`r` equal to 1 gives a square plot area). For example,

```
plot(x, y, 'r-',
      axis=[0, 1, 0, 1],
      daspect=[1,1,1],
      daspectmode='manual')
```

Note that one should always use `axis` and set axes limits explicitly when prescribing the aspect ratio.

Suppose the x-axis goes from 0 to 20 and the y-axis from -2 to 2. Often we want the units on the axes to have the same length, i.e., the x-axis should be five times as long as the y-axis in this example. This is accomplished by `daspect=[0.2,1,1]`. Alternatively, one can apply `daspectmode='equal'` (which means equal physical units on the axis).

Here is an example which demonstrates various aspects of setting the aspect ratio:

```
from scitools.std import *
n = 20 # no of periods of a sine function
r = 80 # resolution of each period
x = linspace(0, n, r*n + 1)
amplitude = 1 + sin(2*pi*0.05*x)
y = amplitude*sin(2*pi*x)

# x-axis goes from 0 to 20, y-axis from -2 to 2.
subplot(2, 1, 1)
```

```

plot(x, y,
     axis=[x[0], x[-1], y.min(), y.max()],
     daspectmode='equal',
     title='daspectmode=equal',
     )
subplot(2, 1, 2)
plot(x, y,
     axis=[x[0], x[-1], y.min(), y.max()],
     daspect=[0.5,1,1],
     daspectmode='manual',
     title='daspectmode>manual, daspect=[0.5,1,1]',
     )

figure()
plot(x, y,
     axis=[x[0], x[-1], y.min(), y.max()],
     daspect=[1,1,1],
     daspectmode='manual',
     title='daspectmode>manual, daspect=[1,1,1]',
     )

show()
raw_input()

```

2.13 Moving Plot Window

When calculating long time series, it may be desirable to have a moving plot window that follows the time series. The module `MovingPlotWindow` was made for this purpose. There are three different modes of this tool, where each mode moves the window in a certain way. With `mode` set as `continuous movement`, the plot window moves with the curves continuously. With `mode` set as `continuous drawing`, the curves are drawn from left to right in the plot window, as an animation (one step at a time). When the curves reach the right border of the plot window, the window (or more correctly, the x-axis) is moved in a jump to the right so that the curves are coming in from the left border again. With `mode` set as `jumps` the curves are plotted directly in the window and shown for a specified period of time (the `pause` parameter), then the axis jump one window to the right, and the curves are displayed in this (time) window. The `jumps` mode is well suited for quickly browsing a time series. The `continuous drawing` mode is aimed at studying the "tip" of the time series as they are computed, and `continuous movement` is a kind of default choice for most purposes. Running the module file gives a demo of the three modes.

Below is an example of how to compute a time series by finite differences and comparing this series with the exact solutions. For large times, there is a frequency discrepancy that one wants to investigate.

```

def _demo(I, k, dt, T, mode='continuous movement'):
    """
    Solve  $u' = -k**2*u$ ,  $u(0)=I$ ,  $u'(0)=0$  by a finite difference
    method with time steps  $dt$ , from  $t=0$  to  $t=T$ .
    """
    if dt > 2./k:
        print 'Unstable scheme'
    N = int(round(T/float(dt)))

```

```

u = zeros(N+1)
t = linspace(0, T, N+1)

umin = -1.2*I
umax = -umin
period = 2*pi/k # period of the oscillations
plot_manager = MovingPlotWindow(8*period, dt, yaxis=[umin, umax],
                                mode=mode)

u[0] = I
u[1] = u[0] - 0.5*dt**2*k**2*u[0]
for n in range(1,N):
    u[n+1] = 2*u[n] - u[n-1] - dt**2*k**2*u[n]

    if plot_manager.plot(n):
        s = plot_manager.first_index_in_plot
        plot(t[s:n+2], u[s:n+2], 'r-',
             t[s:n+2], I*cos(k*t)[s:n+2], 'b-',
             axis=plot_manager.axis(),
             title="Solution of u'' + k^2 u = 0 for t=%6.3f (mode: %s)" \
                 % (t[n+1], mode))
    plot_manager.update(n)

```

An appropriate import statement is

```
from scitools.MovingPlotWindow import MovingPlotWindow
```

2.14 Advanced Easyviz Topics

The information in the previous sections aims at being sufficient for the daily work with plotting curves. Sometimes, however, one wants to fine-control the plot or how Easyviz behaves. First, we explain how to set the backend. Second, we tell how to speed up the `from scitools.std import *` statement. Third, we show how to operate with the plotting program directly and using plotting program-specific advanced features. Fourth, we explain how the user can grab `Figure` and `Axis` objects that Easyviz produces "behind the curtain".

Controlling the Backend. The Easyviz backend can either be set in a configuration file (see "Setting Parameters in the Configuration File" below), by importing a special backend in the program, or by adding a command-line option

```
--SCITTOOLS_easyviz_backend name
```

where `name` is the name of the backend: `gnuplot`, `vtk`, `matplotlib`, etc. Which backend you choose depends on what you have available on your computer system and what kind of plotting functionality you want.

An alternative method is to import a specific backend in a program. Instead of the `from scitools.std import *` statement one writes

```

from numpy import *
from scitools.easyviz.gnuplot_ import * # work with Gnuplot
# or
from scitools.easyviz.vtk_ import *     # work with VTK

```

Note the trailing underscore in the module names for the various backends.

The following program prints a list of the names of the available backends on your computer system:

```
from scitools.std import *
backends = available_backends()
print 'Available backends:', backends
```

There will be quite some output explaining the missing backends and what must be installed to use these backends. Be prepared for exceptions and error messages too.

Importing Just Easyviz. The `from scitools.std import *` statement imports many modules and packages:

```
from numpy import *
from scitools.numpyutils import * # some convenience functions
from numpy.lib.scimath import *
from scipy import * # if scipy is installed
import sys, operator, math
from scitools.StringFunction import StringFunction
from glob import glob
```

The `scipy` import can take some time and lead to slow start-up of plot scripts. A more minimalistic import for curve plotting is

```
from scitools.easyviz import *
from numpy import *
```

Alternatively, one can edit the SciTools configuration file as explained below in the section "Setting Parameters in the Configuration File".

Many discourage the use of "star import" as shown above. For example, the standard import of Numerical Python in all of its documentation is

```
import numpy as np
```

A similar import for SciTools and Easyviz is

```
import scitools.std as st
import numpy as np
```

Although `np` functions are important into the namespace of `st` in this case, we recommend to distinguish the packages when using a prefix. A typical plotting example will then read

```
x = np.linspace(0, 3, 51)
y = x**2*np.exp(-x)
st.plot(x, y, 'r-', title="Plot")
```

The corresponding syntax for the minimalistic import of `scitools.easyviz` and `numpy` reads

```
import scitools.easyviz as ev
import numpy as np
```

Embedding Plots in HTML without Using Files. Web applications may prefer to get the plot as a string from the plotting software and embed this string directly in HTML. This is easy: if the filename for the `savefig` command contains just the extension, say `.png`, and the backend supports storing the plot in a string in PNG format, the string is returned. Otherwise, just `None` is returned. Any any case, a filename of `.png` implies that the plot is also store in the file `tmp.png`. The only backend that can return the plot as a string is `matplotlib`.

Here is a recipe on how to create a plot as a string in PNG and SVG format and embed the strings directly in HTML:

```

from scitools.std import plot, savefig, linspace

x = linspace(0, 1, 10)
plot(x, y)
figdata_svg = savefig('.svg') # create tmp.svg anyway
figdata_png = savefig('.png') # create tmp.png anyway
if figdata_svg is not None and figdata_png is not None:
    # Turn PNG data to base64 format
    import base64
    figdata_png = base64.b64encode(figdata_png)
    f = open('tmp.html', 'w')
    f.write("""
Embedded SVG XML code:<br>
%(figdata_svg)s
<br>
Embedded PNG data:<br>
<br>
Using img tag for SVG file:<br>
<br>
Using img tag for PNG file:<br>
<br>
Using object embedding:<br>
<object data="tmp.svg" type="image/svg+xml"></object>
""") % vars()
    f.close()

```

The `examples/plot2r.py` file contains a demo of this kind where the HTML page can be viewed in a browser.

Setting Parameters in the Configuration File. `Easyviz` is a subpackage of `SciTools`, and the the `SciTools` configuration file, called `scitools.cfg` has several sections (`[easyviz]`, `[gnuplot]`, and `[matplotlib]`) where parameters controlling the behavior of plotting can be set. For example, the backend for `Easyviz` can be controlled with the `backend` parameter:

```

[easyviz]
backend = vtk

```

Similarly, `Matplotlib`'s use of `LATEX` can be controlled by a boolean parameter:

```

[matplotlib]
text.usetex = <bool> false

```

The text `<bool>` indicates that this is a parameter with a boolean

A configuration file with name `.scitools.cfg` file can be placed in the current working folder, thereby affecting plots made in this folder, or it can be located in the user's home folder, which will affect all plotting sessions for the user in question. There is also a common SciTools config file `scitools.cfg` for the whole site, located in the directory where the `scitools` package is installed. It is recommended to copy the `scitools.cfg`, either from installation or the SciTools source folder `lib/scitools`, to `.scitools.cfg` in your home folder. Then you can easily control the Easyviz backend and other parameters by editing your local `.scitools.cfg` file.

Parameters set in the configuration file can also be set directly on the command line when running a program. The name of the command-line option is

```
--SCITTOOLS_sectionname_parametername
```

where `sectionname` is the name of the section in the file and `parametername` is the name of the parameter. For example, setting the `backend` parameter in the `[easyviz]` section by

```
--SCITTOOLS_easyviz_backend gnuplot
```

Here is an example where we use Matplotlib as backend, turn on the use of \LaTeX in Matplotlib, and avoid the potentially slow import of SciPy:

```
python myprogram.py --SCITTOOLS_easyviz_backend matplotlib \  
--SCITTOOLS_matplotlib_text.usetex true --SCITTOOLS_scipy_load no
```

Working with the Plotting Program Directly. Easyviz supports just the most common plotting commands, typically the commands you use "95 percent" of the time when exploring curves. Various plotting packages have lots of additional commands for diverse advanced features. When Easyviz does not have a command that supports a particular feature, one can grab the Python object that communicates with the underlying plotting program (the "backend") and work with this object directly, using plotting program-specific command syntax. Let us illustrate this principle with an example where we add a text and an arrow in the plot, see Figure 14.

Easyviz does not support arrows at arbitrary places inside the plot, but Gnuplot does. If we use Gnuplot as backend, we may grab the `Gnuplot` object and issue Gnuplot commands to this object directly. Here is an example of the typical recipe, written after the core of the plot is made in the ordinary (plotting program-independent) way:

```
if backend == 'gnuplot':  
    g = get_backend()  
    # g is a Gnuplot object, work with Gnuplot commands directly:  
    g('set label "global maximum" at 0.1,0.5 font "Times,18"')  
    g('set arrow from 0.5,0.48 to 0.98,0.37 linewidth 2')  
    g.refresh()  
    g.hardcopy('tmp2.eps') # make new hardcopy
```




Figure 14: Illustration of a text and an arrow using Gnuplot-specific commands.

```

g.reset()                                # new plot
data = Gnuplot.Data(t, t**3*exp(-t), with_='points 3 3',
                    title='t**3*exp(-t)')
func = Gnuplot.Func('t**4*exp(-t)', title='t**4*exp(-t)')
g('set tics border font "Courier,14"')
g.plot(func, data)

```

For the available features and the syntax of commands, we refer to the Gnuplot manual and the `demo.py` program in Python interface to Gnuplot. Note that one must call `g.hardcopy` to save the figure to file. A call to `savefig` or `hardcopy` remakes the plot, but without the special calls `g('...')` so the label and arrow are left out of the hardcopy in the example above.

Here is an example with Matplotlib:

```

if backend == 'matplotlib':
    pyplot = get_backend()
    # Work with standard matplotlib.pyplot functions

```

The files `grab_backend*.py` in the `examples` folder of the SciTools source code contain many examples on how to do backend-specific operations, especially with Matplotlib. Note that after having issued calls via the `pyplot` object, one must apply `pyplot.savefig` to correctly save the plot (a plain `savefig` or `hardcopy` remakes the plot without the features inserted by the `pyplot` object).

Here are some useful links to documentation of various plotting packages:

- [Matplotlib Documentation](#)

- [Gnuplot Documentation](#)
- [Gnuplot Tips \(Not So Frequently Asked Questions\)](#)
- [Grace User's Guide](#)
- [PyX Documentation](#)
- [PyX Tutorial for Gnuplot Users](#)

The idea advocated by Easyviz goes as follows. You can quickly generate plots with Easyviz using standard commands that are independent of the underlying plotting package. However, when you need advanced features, you must add plotting package-specific code as shown above. This principle makes Easyviz a light-weight interface, but without limiting the available functionality of various plotting programs.

Working with Axis and Figure Objects. Easyviz supports the concept of Axis objects, as in Matlab. The Axis object represents a set of axes, with curves drawn in the associated coordinate system. A figure is the complete physical plot. One may have several axes in one figure, each axis representing a subplot. One may also have several figures, represented by different windows on the screen or separate hardcopies.

Users with Matlab experience may prefer to set axis labels, ranges, and the title using an Axis object instead of providing the information in separate commands or as part of a plot command. The `gca` (get current axis) command returns an Axis object, whose `set` method can be used to set axis properties:

```
plot(t, y1, 'r-', t, y2, 'bo',
      legend=('t^2*exp(-t^2)', 't^4*exp(-t^2)'),
      savefig='tmp2.eps')

ax = gca() # get current Axis object
ax.setp(xlabel='t', ylabel='y',
        axis=[0, 4, -0.1, 0.6],
        title='Plotting two curves in the same plot')
show() # show the plot again after ax.setp actions
```

The `figure()` call makes a new figure, i.e., a new window with curve plots. Figures are numbered as 1, 2, and so on. The command `figure(3)` sets the current figure object to figure number 3.

Suppose we want to plot our `y1` and `y2` data in two separate windows. We need in this case to work with two Figure objects:

```
plot(t, y1, 'r-', xlabel='t', ylabel='y',
      axis=[0, 4, -0.1, 0.6])

figure() # new figure

plot(t, y2, 'bo', xlabel='t', ylabel='y')
```


We may now go back to the first figure (with the `y1` data) and set a title and legends in this plot, show the plot, and make a PostScript version of the plot:

```
figure(1) # go back to first figure
title('One curve')
legend('t^2*exp(-t^2)')
show()
savefig('tmp2_1.eps')
```

We can also adjust figure 2:

```
figure(2) # go to second figure
title('Another curve')
savefig('tmp2_2.eps')
show()
```

The current `Figure` object is reached by `gcf` (get current figure), and the `dump` method dumps the internal parameters in the `Figure` object:

```
fig = gcf(); print fig.dump()
```

These parameters may be of interest for troubleshooting when Easyviz does not produce what you expect.

Let us then make a third figure with two plots, or more precisely, two axes: one with `y1` data and one with `y2` data. Easyviz has a command `subplot(r, c, a)` for creating `r` rows and `c` columns and set the current axis to axis number `a`. In the present case `subplot(2,1,1)` sets the current axis to the first set of axis in a "table" with two rows and one column. Here is the code for this third figure:

```
figure() # new, third figure
# Plot y1 and y2 as two axis in the same figure
subplot(2, 1, 1)
plot(t, y1, xlabel='t', ylabel='y')
subplot(2, 1, 2)
plot(t, y2, xlabel='t', ylabel='y')
title('A figure with two plots')
show()
savefig('tmp2_3.eps')
```

Note: The Gnuplot backend will overwrite the tickmarks on the `y` axis if two or more curves in the same subplot have significantly different variations in `y` direction. To avoid this cluttering of tickmarks, set the axes extent explicitly.

If we need to place an axis at an arbitrary position in the figure, we must use the command

```
ax = axes(viewport=[left, bottom, width, height])
```

The four parameters `left`, `bottom`, `width`, `height` are location values between 0 and 1 ((0,0) is the lower-left corner and (1,1) is the upper-right corner). However, this might be a bit different in the different backends (see the documentation for the backend in question).

Mathematics and \LaTeX in Legends, Title, and Axis Labels. Some plotting packages support nicely formatted mathematics as axis labels, in legends, and in the figure title. For example, Matplotlib accepts standard \LaTeX syntax, while Gnuplot, when saving figures to PostScript format, supports greek letters, sub- and super-scripts, exponentials, etc. Different plotting engines (backends) will require mathematics in legends, titles, and labels to be formatted differently.

- With Matplotlib we recommend to use standard \LaTeX .
- With Gnuplot we recommend plain text when plotting on the screen, and greek letters preceded with a backslash when saving to file. Gnuplot supports \LaTeX syntax for sub- and super-scripts (underscore and hat, resp.). Other types of mathematics should be expressed in plain text.

The file `examples/math_text.py` tests different syntax in legends, axis labels, and titles. Running this script with `--SCITOOLS_easyviz_backend X` for different values of `X` (`gnuplot`, `matplotlib`, `grace`, `pyx`, etc.) produces plots that one can examine to see various formats treat mathematics with and without \LaTeX syntax.

If it is important to have Easyviz code that works with several backends, one can apply a little if-else test:

```
from scitools.std import *
...
if backend == 'gnuplot':
    title_screen = 'mu=0.5, alpha=sum(i=1 to n) tau_i^2'
    title_eps = r'\mu=0.5, \alpha=sum(i=1 to n) \tau_i^2'
elif backend == 'matplotlib':
    title_screen = title_eps = \
        r'$\mu=0.5$, $\alpha=\sum_{i=1}^n \tau_i^2$'
else:
    title_screen = title_eps = 'mu=0.5, alpha=sum(i=1 to n) tau_i^2'

plot(...)
...
title(title_screen)
show()
title(title_eps)
savefig('myplot.eps')
```

Turning Off All Plotting. Sometimes, especially during debugging or when trying out a large-scale experiment, it is nice to turn off all plotting on the screen and all making of hardcopies. This is easily done by

```
turn_off_plotting(globals())
```

All the plot functions now "do nothing" (actually they are `DoNothing` objects from `scitools.misc`).

3 Visualization of Scalar Fields

A scalar field is a function from space or space-time to a real value. This real value typically reflects a scalar physical parameter at every point in space (or

in space and time). One example is temperature, which is a scalar quantity defined everywhere in space and time. In a visualization context, we work with discrete scalar fields that are defined on a grid. Each point in the grid is then associated with a scalar value.

There are several ways to visualize a scalar field in Easyviz. Both two- and three-dimensional scalar fields are supported. In two dimensions (2D) we can create elevated surface plots, contour plots, and pseudocolor plots, while in three dimensions (3D) we can create isosurface plots, volumetric slice plots, and contour slice plots.

3.1 Elevated Surface Plots

To create elevated surface plots we can use either the `surf` or the `mesh` command. Both commands have the same syntax, but the `mesh` command creates a wireframe mesh while the `surf` command creates a solid colored surface.

Our examples will make use of the scalar field $f(x, y) = \sin r$, where r is the distance in the plane from the origin, i.e., $r = \sqrt{x^2 + y^2}$. The x and y values in our 2D domain lie between -5 and 5.

The example first creates the necessary data arrays for 2D scalar field plotting: the coordinates in each direction, extensions of these arrays to form a `ndgrid`, and the function values. The latter array is computed in a vectorized operation which requires the extended coordinate arrays from the `ndgrid` function. The `mesh` command can then produce the plot with a syntax that mirrors the simplicity of the `plot` command for curves:

```
x = y = linspace(-5, 5, 21)
xv, yv = ndgrid(x, y)
values = sin(sqrt(xv**2 + yv**2))
h = mesh(xv, yv, values)
```

The `mesh` command returns a reference to a new `Surface` object, here stored in a variable `h`. This reference can be used to set or get properties in the object at a later stage if needed. The resulting plot can be seen in Figure 15.

We remark that the computations in the previous example are vectorized. The corresponding scalar computations using a double loop read

```
values = zeros(x.size, y.size)
for i in xrange(x.size):
    for j in xrange(y.size):
        values[i,j] = sin(sqrt(x[i]**2 + y[j]**2))
```

However, for the `mesh` command to work, we need the vectorized extensions `xv` and `yv` of `x` and `y`.

The `surf` command employs the same syntax, but results in a different plot (see Figure 16):

```
surf(xv, yv, values)
```

The `surf` command offers many possibilities to adjust the resulting plot:




Figure 15: Result of the mesh command for plotting a 2D scalar field (Gnuplot backend).

```

setp(interactive=False)
surf(xv, yv, values)
shading('flat')
colorbar()
colormap(hot())
axis([-6,6,-6,6,-1.5,1.5])
view(35,45)
show()

```

Here we have specified a flat shading model, added a color bar, changed the color map to `hot`, set some suitable axis values, and changed the view point (the view takes two arguments: the azimuthal rotation and the elevation, both given in degrees). The same plot can also be accomplished with one single, compound statement (just as Easyviz offers for the `plot` command):

```

surf(xv, yv, values,
     shading='flat',
     colorbar='on',
     colormap=hot(),
     axis=[-6,6,-6,6,-1.5,1.5],
     view=[35,45])

```

Figure 17 displays the result.

3.2 Contour Plots

A contour plot is another useful technique for visualizing scalar fields. The primary examples on contour plots from everyday life is the level curves on geo-




Figure 16: Result of the surf command (Gnuplot backend).

graphical maps, reflecting the height of the terrain. Mathematically, a contour line, also called an isoline, is defined as the implicit curve $f(x, y) = c$. The contour levels c are normally uniformly distributed between the extreme values of the function f (this is the case in a map: the height difference between two contour lines is constant), but in scientific visualization it is sometimes useful to use a few carefully selected c values to illustrate particular features of a scalar field.

In Easyviz, there are several commands for creating different kinds of contour plots:

- **contour**: Draw a standard contour plot, i.e., lines in the plane.
- **contourf**: Draw a filled 2D contour plot, where the space between the contour lines is filled with colors.
- **contour3**: Same as **contour**, but the curves are drawn at their corresponding height levels in 3D space.
- **meshc**: Displays the same plot as **mesh**, but with an additional contour plot drawn in a plane beneath the mesh.
- **surf**: Same as **meshc** except that a solid surface is drawn instead of a wireframe mesh.

We start with illustrating the plain **contour** command, assuming that we already have computed the **xv**, **yv**, and **values** arrays as shown in our first example on scalar field plotting. The basic syntax follows that of **mesh** and **surf**:




Figure 17: Result of an extended surf command (Gnuplot backend).

```
contour(xv, yv, values)
```

By default, five uniformly spaced contour level curves are drawn, see Figure 18.

The number of levels in a contour plot can be specified with an additional argument:

```
n = 15 # number of desired contour levels
contour(xv, yv, values, n)
```

The result can be seen in Figure 19.

Sometimes one wants contour levels that are not equidistant or not distributed throughout the range of the scalar field. Individual contour levels to be drawn can easily be specified as a list:

```
levels = [-0.5, 0.1, 0.3, 0.9]
contour(xv, yv, values, levels, labels='on')
```

Now, the `levels` list specify the values of the contour levels, and the `label` keyword allows labeling of the level values in the plot. Figure 20 shows the result. We remark that the Gnuplot backend colors the contour lines and places the contour values and corresponding colors beside the plot. Figures that are reproduced in black and white only can then be hard to analyze. Other backends may draw the contour lines in black and annotate each line with the corresponding contour level value. Such plots are better suited for being displayed in black and white.

The `contourf` command,

```
contourf(xv, yv, values)
```




Figure 18: Result of the simplest possible contour command (Gnuplot backend).

gives a filled contour plot as shown in Figure 21. Only the Matplotlib and VTK backends currently supports filled contour plots.

The contour lines can be “lifted up” in 3D space, as shown in Figure 22, using the `contour3` command:

```
contour3(xv, yv, values, 15)
```

Finally, we show a simple example illustrating the `meshc` and `surf` commands:

```
meshc(xv, yv, values,
      clevels=10,
      colormap=hot(),
      grid='off')
figure()
surf(xv, yv, values,
     clevels=15,
     colormap=hsv(),
     grid='off',
     view=(30,40))
```

The resulting plots are displayed in Figures 23 and 24.

3.3 Pseudocolor Plots

Another way of visualizing a 2D scalar field in Easyviz is the `pcolor` command. This command creates a pseudocolor plot, which is a flat surface viewed from




Figure 19: A contour plot with 15 contour levels (Gnuplot backend).

above. The simplest form of this command follows the syntax of the other commands:

```
pcolor(xv, yv, values)
```

We can set the color shading in a pseudocolor plot either by giving the `shading` keyword argument to `pcolor` or by calling the `shading` command. The color shading is specified by a string that can be either `'faceted'` (default), `'flat'`, or `'interp'` (interpolated). The Gnuplot and Matplotlib backends support `'faceted'` and `'flat'` only, while the VTK backend supports all of them.

3.4 Isosurface Plots

For 3D scalar fields, isosurfaces or contour surfaces constitute the counterpart to contour lines or isolines for 2D scalar fields. An isosurface connects points in a scalar field with (approximately) the same scalar value and is mathematically defined by the implicit equation $f(x, y, z) = c$. In Easyviz, isosurfaces are created with the `isosurface` command. We will demonstrate this command using 3D scalar field data from the `flow` function. This function, also found in Matlab, generates fluid flow data. Our first isosurface visualization example then looks as follows:

```
x, y, z, v = flow() # generate fluid-flow data
setp(interactive=False)
h = isosurface(x,y,z,v,-3)
h.setp(opacity=0.5)
shading('interp')
```





Figure 20: Four individually specified contour levels (Gnuplot backend).

```
daspect([1,1,1])
view(3)
axis('tight')
show()
```

After creating some scalar volume data with the `flow` function, we create an isosurface with the isovalue `-3`. The isosurface is then set a bit transparent (`opacity=0.5`) before we specify the shading model and the view point. We also set the data aspect ratio to be equal in all directions with the `daspect` command. The resulting plot is shown in Figure 26. We remark that the Gnuplot backend does not support 3D scalar fields and hence not isosurfaces.

Here is another example that demonstrates the `isosurface` command (again using the `flow` function):

```
x, y, z, v = flow()
setp(interactive=False)
h = isosurface(x,y,z,v,0)
shading('interp')
daspect([1,4,4])
view([-65,20])
axis('tight')
show()
```

Figure 27 shows the resulting plot.

3.5 Volumetric Slice Plot

Another way of visualizing scalar volume data is by using the `slice_` command (since the name `slice` is already taken by a built-in function in Python for array




Figure 21: Filled contour plot created by the `contourf` command (VTK backend).

slicing, we have followed the standard Python convention and added a trailing underscore to the name in Easyviz - `slice_` is thus the counterpart to the Matlab function `slice`.). This command draws orthogonal slice planes through a given volumetric data set. Here is an example on how to use the `slice_` command:

```
x, y, z = ndgrid(seq(-2,2,.2), seq(-2,2,.25), seq(-2,2,.16),
                 sparse=True)
v = x*exp(-x**2 - y**2 - z**2)
xslice = [-1.2, .8, 2]
yslice = 2
zslice = [-2, 0]
slice\_ (x, y, z, v, xslice, yslice, zslice,
        colormap=hsv(), grid='off')
```

Note that we here use the SciTools function `seq` for specifying a uniform partitioning of an interval - the `linspace` function from `numpy` could equally well be used. The first three arguments in the `slice_` call are the grid points in the x , y , and z directions. The fourth argument is the scalar field defined on-top of the grid. The next three arguments defines either slice planes in the three space directions or a surface plane (currently not working). In this example we have created 6 slice planes: Three at the x axis (at $x = -1.2$, $x = 0.8$, and $x = 2$), one at the y axis (at $y = 2$), and two at the z axis (at $z = -2$ and $z = 0.0$). The result is presented in Figure 28.




Figure 22: Example on the `contour3` command for elevated contour levels (Gnuplot backend).

Contours in Slice Planes. With the `contourslice` command we can create contour plots in planes aligned with the coordinate axes. Here is an example using 3D scalar field data from the `flow` function:

```
x, y, z, v = flow()
setp(interactive=False)
h = contourslice(x, y, z, v, seq(1,9), [], [0], linspace(-8,2,10))
axis([0, 10, -3, 3, -3, 3])
daspect([1, 1, 1])
ax = gca()
ax.setp(fgcolor=(1,1,1), bgcolor=(0,0,0))
box('on')
view(3)
show()
```

The first four arguments given to `contourslice` in this example are the extended coordinates of the grid (`x`, `y`, `z`) and the 3D scalar field values in the volume (`v`). The next three arguments defines the slice planes in which we want to draw contour lines. In this particular example we have specified two contour plots in the planes $x = 1, 2, \dots, 9$, none in $y = \text{const}$ planes (empty list), and one contour plot in the plane $z = 0$. The last argument to `contourslice` is optional, it can be either an integer specifying the number of contour lines (the default is five) or, as in the current example, a list specifying the level curves. Running the set of commands results in the plot shown in Figure 29.

Here is another example where we draw contour slices from a three-dimensional MRI data set:




Figure 23: Wireframe mesh with contours at the bottom (Gnuplot backend).

```
import scipy.io
mri = scipy.io.loadmat('mri_matlab_v6.mat')
D = mri['D']
image_num = 8

# Displaying a 2D Contour Slice
contourslice(D, [], [], image_num, daspect=[1,1,1], indexing='xy')
```

The MRI data set is loaded from the file `mri_matlab_v6.mat` with the aid from the `loadmat` function available in the `io` module in the SciPy package. We then create a 2D contour slice plot with one slice in the plane $z = 8$. Figure 30 displays the result.




Figure 24: Surface plot with contours (Gnuplot backend).




Figure 25: Pseudocolor plot (Gnuplot backend).




Figure 26: Isosurface plot (VTK backend).




Figure 27: Another isosurface plot (VTK backend).




Figure 28: Slice plot where the x axis is sliced at -1.2, 0.8, and 2, the y axis is sliced at 2, and the z axis is sliced at -2 and 0.0 (VTK backend).




Figure 29: Contours in slice planes (VTK backend).




Figure 30: Contour slice plot of a 3D MRI data set (VTK backend).

4 Visualization of Vector Fields

A vector field is a function from space or space-time to a vector value, where the number of components in the vector corresponds to the number of space dimensions. Primary examples on vector fields are the gradient of a scalar field; or velocity, displacement, or force in continuum physics.

In Easyviz, a vector field can be visualized either by a quiver (arrow) plot or by various kinds of stream plots like stream lines, stream ribbons, and stream tubes. Below we will look closer at each of these visualization techniques.

4.1 Quiver Plots

The `quiver` and `quiver3` commands draw arrows to illustrate vector values (length and direction) at discrete points. As the names indicate, `quiver` is for 2D vector fields in the plane and `quiver3` plots vectors in 3D space. The basic usage of the `quiver` command goes as follows:

```
x = y = linspace(-5, 5, 21)
xv, yv = ndgrid(x, y, sparse=False)
values = sin(sqrt(xv**2 + yv**2))
uv, vv = gradient(values)
quiver(xv, yv, uv, vv)
```

Our vector field in this example is simply the gradient of the scalar field used to illustrate the commands for 2D scalar field plotting. The `gradient` function computes the gradient using finite difference approximations. The result is a vector field with components `uv` and `vv` in the x and y directions, respectively. The grid points and the vector components are passed as arguments to `quiver`, which in turn produces the plot in Figure 31.

The arrows in a quiver plot are automatically scaled to fit within the grid. If we want to control the length of the arrows, we can pass an additional argument to scale the default lengths:

```
scale = 2
quiver(xv, yv, uv, vv, scale)
```

This value of `scale` will thus stretch the vectors to their double length. To turn off the automatic scaling, we can set the scale value to zero.

Quiver plots are often used in combination with other plotting commands such as pseudocolor plots or contour plots, since this may help to get a better perception of a given set of data. Here is an example demonstrating this principle for a simple scalar field, where we plot the field values as colors and add vectors to illustrate the associated gradient field:

```
xv, yv = ndgrid(linspace(-5,5,101), linspace(-5,5,101))
values = sin(sqrt(xv**2 + yv**2))
pcolor(xv, yv, values, shading='interp')

# Create a coarser grid for the gradient field
xv, yv = ndgrid(linspace(-5,5,21), linspace(-5,5,21))
values = sin(sqrt(xv**2 + yv**2))
uv, vv = gradient(values)
```




Figure 31: Velocity vector plot (Gnuplot backend).

```

hold('on')
quiver(xv, yv, uv, vv, 'filled', 'k', axis=[-6,6,-6,6])
figure(2)
contour(xv, yv, values, 15)
hold('on')
quiver(xv, yv, uv, vv, axis=[-6,6,-6,6])

```

The resulting plots can be seen in Figure 32 and 33.

Visualization of 3D vector fields by arrows at grid points can be done with the `quiver3` command. At the time of this writing, only the VTK backend supports 3D quiver plots. A simple example of plotting the "radius vector field" $\vec{v} = (x, y, z)$ is given next:

```

x = y = z = linspace(-3,3,4)
xv, yv, zv = ndgrid(x, y, z, sparse=False)
uv = xv
vv = yv
wv = zv
quiver3(xv, yv, zv, uv, vv, wv, 'filled', 'r', axis=[-7,7,-7,7,-7,7])

```

The strings `'filled'` and `'r'` are optional and makes the arrows become filled and red, respectively. The resulting plot is presented in Figure 34.

4.2 Stream Plots

Stream plots constitute an alternative to arrow plots for visualizing vector fields. The stream plot commands currently available in Easyviz are `streamline`, `streamtube`, and `streamribbon`. Stream lines are lines aligned with the vector




Figure 32: Combined quiver and pseudocolor plot (VTK backend).

field, i.e., the vectors are tangents to the streamlines. Stream tubes are similar, but now the surfaces of thin tubes are aligned with the vectors. Stream ribbons are also similar: thin sheets are aligned with the vectors. The latter type of visualization is also known as stream or flow sheets. In the near future, Matlab commands such as `streamslice` and `streamparticles` might also be implemented.

We start with an example on how to use the `streamline` command. In this example (and in the following examples) we will use the `wind` data set that is included with Matlab. This data set represents air currents over a region of North America and is suitable for testing the different stream plot commands. The following commands will load the `wind` data set and then draw some stream lines from it:

```
import scipy.io # needed to load binary .mat-files

# Load the wind data set and create variables
wind = scipy.io.loadmat('wind.mat')
x = wind['x']
y = wind['y']
z = wind['z']
u = wind['u']
v = wind['v']
w = wind['w']

# Create starting points for the stream lines
sx, sy, sz = ndgrid([80]*4, seq(20,50,10), seq(0,15,5),
                    sparse=False)
```




Figure 33: Combined quiver and pseudocolor plot (VTK backend).

```
# Draw stream lines
streamline(x, y, z, u, v, w, sx, sy, sz,
           view=3, axis=[60,140,10,60,-5,20])
```

The wind data set is stored in a binary `.mat`-file called `wind.mat`. To load the data in this file into Python, we can use the `loadmat` function which is available through the `io` module in SciPy. Using the `loadmat` function on the `wind.mat`-file returns a Python dictionary (called `wind` in the current example) containing the NumPy arrays `x`, `y`, `z`, `u`, `v`, and `w`. The arrays `u`, `v`, and `w` are the 3D vector data, while the arrays `x`, `y`, and `z` defines the (3D extended) coordinates for the associated grid. The data arrays in the dictionary `wind` are then stored in separate variables for easier access later.

Before we call the `streamline` command we must set up some starting point coordinates for the stream lines. In this example, we have used the `ndgrid` command to define the starting points with the line:

```
sx, sy, sz = ndgrid([80]*4, seq(20,50,10), seq(0,15,5))
```

This command defines starting points which all lie on $x = 80$, $y = 20, 30, 40, 50$, and $z = 0, 5, 10, 15$. We now have all the data we need for calling the `streamline` command. The first six arguments to the `streamline` command are the grid coordinates (x,y,z) and the 3D vector data (u,v,w) , while the next three arguments are the starting points which we defined with the `ndgrid` command above. The resulting plot is presented in Figure 35.




Figure 34: 3D quiver plot (VTK backend).

The next example demonstrates the `streamtube` command applied to the same wind data set:

```
streamtube(x, y, z, u, v, w, sx, sy, sz,
           daspect=[1,1,1],
           view=3,
           axis='tight',
           shading='interp')
```

The arrays `sx`, `sy`, and `sz` are the same as in the previous example and defines the starting positions for the center lines of the tubes. The resulting plot is presented in Figure 36.

Finally, we illustrate the `streamribbon` command:

```
streamribbon(x, y, z, u, v, w, sx, sy, sz,
            ribbonwidth=5,
            daspect=[1,1,1],
            view=3,
            axis='tight',
            shading='interp')
```

Figure 37 shows the resulting stream ribbons.

4.3 Bar Charts

Easyviz also supports a unified interface to simple bar charts. Here is a simple example for displaying tabular values, with one bar for each data point:




Figure 35: Stream line plot (Vtk backend).

```

from scitools.std import *
languages = ['C', 'Java', 'C++', 'PHP', 'VB', 'C#', 'Python',
            'Perl', 'JavaScript']
ratings = [18, 18, 9.7, 9.7, 6.4, 4.4, 4.2, 3.6, 2.5]
bar(ratings, 'r',
    barticks=languages,
    ylabel='Ratings in percent (TIOBE Index, April 2010)',
    axis=[-1, len(languages), 0, 20],
    hardcopy='tmp.eps')

```

The bar chart illustrates the data in the `ratings` list. These data correspond to the names in `languages`.

One may display groups of bars. The data can then be put in a matrix, where rows (1st index) correspond to the groups the columns to the data within one group:

```

data = [[ 0.15416284  0.7400497  0.26331502]
        [ 0.53373939  0.01457496  0.91874701]
        [ 0.90071485  0.03342143  0.95694934]
        [ 0.13720932  0.28382835  0.60608318]]
bar(data,
    barticks=['group 1', 'group 2', 'group 3', 'group 4'],
    legend=['bar 1', 'bar 2', 'bar 3'],
    axis=[-1, data.shape[0], 0, 1.3],
    ylabel='Normalized CPU time',
    title='Bars from a matrix, now with more annotations')

```

When the names of the groups (`barticks`) are quite long, rotating them 90 degrees is preferable, and this is done by the keyword argument `rotated_barticks=True`.




Figure 36: Stream tubes (Vtk backend).

The demo program in `examples/bar_demo.py` contains additional examples and features.




Figure 37: Stream ribbons (VTK backend).




Figure 38: A simple bar chart illustrating the popularity of common programming languages.

5 Backends

As we have mentioned earlier, Easyviz is just a unified interface to other plotting packages, which we refer to as backends. We have currently implemented backends for Gnuplot, Grace, OpenDX, Matlab, Matplotlib, Pmw.Blt, Veusz, VisIt, and VTK. Some are more early in development than others, like the backends for OpenDx and VisIt.

Because of limitations in many of the plotting packages, not all features in Easyviz are supported by each of the backends. Gnuplot has (at the time of this writing) no support for visualization of 3D vector fields, so this is of course not available in the Gnuplot backend either.

Some supported visualization programs are commented on below.

Gnuplot. Gnuplot is a command-driven interactive or scripted plotting utility that works on a wide variety of platforms. Gnuplot supports many types of plots in both 2D and 3D, including curve plots, contour plots, vector plots, and surface plots. 3D scalar and vector fields are not supported. To access Gnuplot from Python and send NumPy arrays to Gnuplot, we use the Python module `Gnuplot`.

Matlab. Many view Matlab as the de facto standard for making curves and plots of 2D scalar/vector fields.

Matplotlib. Matplotlib is now quickly gaining wide popularity in the scientific Python community and has established itself as the de facto standard for curve plotting and 2D contour and (recently) surface plotting. The interface to Matplotlib is Matlab-inspired, and different backends are used to create the plots: Gtk, Tk, WxWidgets and many more. (Since Easyviz and Matplotlib have very similar Matlab-style syntax, Easyviz is just a thin layer on top of Matplotlib to enable Matplotlib to be used with the Easyviz unified syntax.) Matplotlib is now a comprehensive package with lots of tuning possibilities that Easyviz does not support - but one can fetch the underlying Matplotlib from Easyviz and call all the functionality of Matplotlib directly.

Grace. Grace is a highly interactive curve plotting program on the Unix/X11 platform which has been popular for many years. It does not support 2D or 3D scalar or vector fields. However, it has a lot of functionality for computing with curves and adjusting/fine-tuning plots interactively.

PyX. PyX is a Python package for the creation of PostScript and PDF files. It combines an abstraction of the PostScript drawing model with a TeX/LaTeX interface. Complex tasks like 2d and 3d plots in publication-ready quality are built out of these primitives.

Pmw.Blt.Graph. Pmw (Python Mega Widgets) extends the Tkinter package with more sophisticated widgets, included an interactive widget for curve plotting. This widget is based on the BLT package (an extension of Tk written in C). The BLT backend offers currently only basic plotting functionality.

Veusz. From <http://home.gna.org/veusz><Veusz homepage>: Veusz is a GUI scientific plotting and graphing package. It is designed to produce publication-ready Postscript or PDF output. SVG, EMF and bitmap formats export are also supported. Veusz has a comprehensive GUI and produces really high-quality plots.

VTK. VTK (Visualization ToolKit) is a package primarily aimed at visualizing 2D and 3D scalar and vector fields by a range of techniques. VTK is used to achieve 2D and 3D visualizations of the same type as Matlab offers. However, VTK can do much more (although the Easyviz commands are restricted to what is typically offered by Matlab).

6 Design

6.1 Main Objects

All code that is common to all backends is gathered together in a file called `common.py`. For each backend there is a separate file where the backend dependent code is stored. For example, code that are specific for the Gnuplot backend, are stored in a file called `gnuplot_ .py` and code specific for the VTK backend are stored in `vtk_ .py` (note the final underscore in the stem of the filename - all backend files have this underscore).

Each backend is a subclass of class `BaseClass`. The `BaseClass` code is found in `common.py` and contains all common code for the backends. Basically, a backend class extends `BaseClass` with rendering capabilities and backend-specific functionality.

The most important method that needs to be implemented in the backend is the `_replot` method, which updates the backend and the plot after a change in the data. Another important method for the backend class is the `hardcopy` method, which stores an image of the data in the current figure to a file.

Inspired by Matlab, the Easyviz interface is organized around figures and axes. A figure contains an arbitrary number of axes, and the axes can be placed in arbitrary positions in the figure window. Each figure appears in a separate window on the screen. The current figure is accessed by the `gcf()` call. Similarly, the current axes are accessed by calling `gca()`.

It is natural to have one class for figures and one for axes. Class `Figure` contains a dictionary with one (default) or more `Axis` objects in addition to several properties such as figure width and height. Class `Axis` has another dictionary with the plot data as well as lots of parameters for colors, text fonts, labels on the axes, hidden surfaces, etc. For example, when adding an elevated

surface to the current figure, this surface will be appended to a list in the current `Axis` object. Optionally one can add the surface to another `Axis` object by specifying the `Axis` instance as an argument.

All the objects that are to be plotted in a figure such as curves, surfaces, vectors, and so on, are stored in respectively classes. An elevated surface, for instance, is represented as an instance of class `Surface`. All such classes are subclasses of `PlotProperties`. Besides being the base class of all objects that can be plotted in a figure (`Line`, `Surface`, `Contours`, `VelocityVectors`, `Streams`, `Volume`), class `PlotProperties` also stores various properties that are common to all objects in a figure. Examples include line properties, material properties, storage arrays for x and y values for `Line` objects, and x, y, and z values for 3D objects such as `Volume`.

The classes mentioned above, i.e., `BaseClass` with subclasses, class `PlotProperties` with subclasses, as well as class `Figure` and class `Axis` constitute the most important classes in the Easyviz interface. Other less important classes are `Camera`, `Light`, `Colorbar`, and `MaterialProperties`.

All the classes in `common.py` follows a convention where class parameters are set by a `setp` method and read by a `getp` method. For example, we can set the limits on the `x` axis by using the `setp` method in a `Axis` instance:

```
ax = gca()          # get current axis
ax.setp(xmin=-2, xmax=2)
```

To extract the values of these limits we can write

```
xmin = ax.getp('xmin')
xmax = ax.getp('xmax')
```

Normal use will seldom involve `setp` and `getp` functions, since most users will apply the Matlab-inspired interface and set, e.g., the limits by

```
xlim([-2,2])
```

7 Installation

Easyviz comes with the SciTools package, so to install Easyviz, you must install SciTools, which is available from [GitHub](#).

If you run a Linux system that allows installation from Debian repositories (Ubuntu is such a Linux system), you get SciTools, NumPy, and Gnuplot with one Unix command:

```
Unix> sudo apt-get install python-scitools
```

because SciTools is in standard Debian. You probably want to be able to plot with other packages than Gnuplot as well. In addition, it is convenient to have ImageMagick installed for conversion between plot file formats and some encoders for videos. Here is a suggested list for installation on Debian systems:

```
Unix> sudo apt-get install python-matplotlib python-tk python-scipy python-scientific imagemagick net
```

Otherwise, you download the tarball with the SciTools software, pack it out, go the `scitools` folder, and run the standard command

```
Unix/DOS> python setup.py install
```

Easyviz is reached as the package `scitools.easyviz` and can be imported in several ways (see the paragraph heading "Importing Just Easyviz" in the Tutorial).

Easyviz will not work unless you have one or more plotting programs correctly installed. Below, we have collected some brief information on installing various programs. (Note that if you do an `apt-get install python-scitools` all necessary plotting programs are automatically installed for you.)

Please check your plotting program independently of Easyviz, as described in the *Check Your Backends!* section of the *Troubleshooting* chapter, if you encounter strange errors during Easyviz plotting.

7.1 Installing Gnuplot

7.2 Linux/Unix

Compile from Source. Gnuplot can be downloaded from `gnuplot.sourceforge.net`. It builds easily on most Unix systems. You also need the Gnuplot Python module, which can be obtained from `gnuplot-py.sourceforge.net`.

Debian/Ubuntu. Prebuilt versions are available for Debian/Ubuntu: run

```
apt-get install gnuplot gnuplot-x11 python-gnuplot
```

but running these commands are not necessary since on Debian/Ubuntu you will install `python-scitools` which effectively installs all the software that SciTools depend on.

7.3 Windows

On Windows, one can either use Gnuplot under Cygwin or use a precompiled binary from `sourceforce.net`.

Using the Gnuplot Cygwin package. In this case there are two things that needs to be changed in the `gp_cygwin.py` file in the top-level directory of the `Gnuplot.py` source tree. First you need to change the `gnuplot_command` variable to `gnuplot` instead of `pgnuplot.exe`. Then you should change the `default_term` variable to `x11` instead of `windows` since the Gnuplot Cygwin package is not compiled with the Windows terminal. Finally, install `Gnuplot.py` (`python setup.py install`) and launch X11 by running `startx` from a Cygwin prompt. Try to run the `test.py` script that comes with `Gnuplot.py`. If everything works, Easyviz can use Gnuplot.

Using Gnuplot Binaries. First download the Gnuplot 4.2.4 binaries for Windows (or a newer version) A possible URL is

```
http://prdownloads.sourceforge.net/sourceforge/gnuplot/gp424win32.zip
```

The zip file may have another name for a newer version of Gnuplot on Windows.

Then unzip the `gp424win32.zip` file to the folder

```
C:\gnuplot
```

Add the folder name

```
C:\gnuplot\bin
```

to the PATH environment variable (this is done in a graphical interface for setting environment variables).

Check out the latest SVN revision of the Python interface to Gnuplot, which is the Python module file `Gnuplot.py`:

```
svn co https://gnuplot-py.svn.sourceforge.net/svnroot/gnuplot-py/trunk/gnuplot-py
```

Install `Gnuplot.py`:

```
cd gnuplot-py
python setup.py bdist_wininst
dist\gnuplot-py-1.8+.win32.exe
```

Check out the latest SVN revision of SciTools:

```
svn co http://scitools.googlecode.com/svn/trunk/ scitools
```

Install SciTools:

```
cd scitools
python setup.py bdist_wininst
dist\SciTools-0.4.win32.exe
```

(The SciTools version number differs.)

7.4 Installing Matplotlib

This is normally just a matter of

```
python setup.py install
```

in the root directory of the Matplotlib code.

Windows. You can download prebuilt binaries from the Matplotlib home page.

8 Troubleshooting

8.1 Suddenly my old plots have markers

The default behavior of `plot(x,y)` was changed in August, 2012, such that markers are inserted at the data points (of at most 15 markers if the array length exceeds 61). The reason is that curves in image files printed in black and white (typically in reports) were hard to distinguish with the old default behavior (line of thickness 1), especially color plots generated by Matplotlib in PNG, EPS, and PDF, and PNG plots generated by Gnuplot. The new default behavior is better suited for increased use of PNG as file format and Matplotlib as plotting engine.

To get the old default behavior, replace `plot(x,y)` by `plot(x,y,'-')`, or `plot(x,y,-2)` if thick lines are desired. The colors are automatically chosen so that distinct curves get distinct colors. Use `plot(x, y)` if you want both colors and markers to be automatically chosen.

8.2 Can I Perform a Diagnostic Test of Easyviz?

Yes. It is wise to perform a diagnostic test before reporting any error or trouble to the SciTools maintainers. Find the source folder of SciTools and go to the `misc` subfolder. Run

```
python diagnostic.py
```

On the screen, you can see what you have of working software that Easyviz may use. You do not need to see "ok" after each test, but at least one plotting program must be properly installed. Include the detailed diagnostics in the `scitools_diagnostic.log` file as attachment in any mail to the SciTools developers.

8.3 The Plot Window Disappears Immediately

Depending on the backend used for plotting with Easyviz, the plot window may be killed when the program terminates. Adding a statement that makes the program halt provides a remedy:

```
raw_input('Press Return key to quit: ')
```

The plot window will now stay on the screen until hitting the Enter/Return key.

Another remedy can be to add a `show()` call at the end of the plotting:

```
show()
```

8.4 I Get Thread Errors While Plotting

With the Gnuplot backend, thread errors from Python may occur if you plot many curves. The remedy is to do `import time` and insert a `time.sleep(0.2)` (pause the program for 0.2 sec) between each call to the `plot` command.

Remark: Scitools v0.8 automatically inserts a 0.2 sec pause when plotting many curves with the Gnuplot backend.

8.5 I Get Strange Errors Saying Something About \LaTeX

You probably run Easyviz with Matplotlib as backend, and you do not have a working \LaTeX installation. Matplotlib applies \LaTeX for improved rendering of legends, titles, and numbers. The fix is to turn off the use of \LaTeX , which is done by the `text.usetex` parameter in the `matplotlib` section of the configuration file. Set this parameter to `false`. See the subsection "Setting Parameters in the Configuration File" in the section "Advanced Easyviz Topics" in the Easyviz tutorial. The tutorial can be reached from the `code.google.com` site or by running `pydoc scitools.easyviz`. If you use Matplotlib as default plotting engine, we recommend to have a `.scitools.cfg` configuration file in your home folder and that use control the use of Matplotlib parameters in this file.

Another fix of LaTeX-related problems is to switch to another backend than Matplotlib.

8.6 Old Programs with 2D Scalar/Vector Field Plotting Do Not Work

SciTools version 0.7 changed the default backend for plotting to Matplotlib instead of Gnuplot (provided you have Matplotlib and you run `setup.py` to install SciTools - binaries for Debian still has Gnuplot as the plotting engine). Some functionality in Gnuplot, especially regarding 2D vector/scalar fields, is not yet present in Matplotlib and/or supported by the Easyviz interface to Matplotlib. You then need to explicitly run the script with Gnuplot as plotting engine:

```
python myprogram.py --SCITOOLS_easyviz_backend gnuplot
```

or you must import gnuplot explicitly in the program:

```
from scitools.std import *
from scitools.easyviz.gnuplot_ import *
```

or you can edit the installed `scitools.cfg` file ("backend" keyword in the "easyviz" section), or your local version `.scitools.cfg` in your home folder, or maybe the simplest solution is to reinstall SciTools with Gnuplot as plotting engine:

```
python setup.py install --easyviz_backend gnuplot
```

8.7 Check Your Backends!

When you encounter a problem with Easyviz plotting, make sure that the backend works correctly on its own (there may, e.g., be installation problems with the backend - Easyviz just calls the backend to do the plotting).

Gnuplot. For the Gnuplot backend you can try the following commands in a terminal window:

```
Unix/DOS> gnuplot
gnuplot> plot sin(x)
```

This should result in a plot of the sine function on the screen. If this command does not work, Easyviz will not work with the Gnuplot backend. A common problem is that Gnuplot is installed, but the path to the Gnuplot executable is not registered in the PATH environment variable. See the section *Installing Gnuplot* if you need help with installing the Gnuplot program and its Python interface.

Matplotlib. The following code tests if you have installed Matplotlib correctly:

```
import matplotlib.pyplot as plt
import numpy as np
x = np.linspace(0, 2*np.pi, 101)
y = np.sin(x)
plt.plot(x, y)
plt.show()
```

In case of problems, go to the Matplotlib source directory, remove the build subdirectory, and try a new install with `python setup.py install`.

8.8 Can I Easily Turn Off All Plotting?

Yes, this is very convenient when debugging other (non-plotting) parts of a program. Just write

```
from scitools.std import *
turn_off_plotting(globals())
```

8.9 How Can I Change the Type of Gnuplot Window?

The configuration file (`.scitools.cfg` in your home directory or a local directory, copied from `scitools.cfg` in the SciTools source code distribution) has an item for controlling the type of *terminal* used by Gnuplot:

```
[gnuplot]
...
default_term          = <str> wxt
```

Here, the `wxt` terminal, based on `wxWidgets`, is chosen. Other choices are `x11` on systems supporting X11 graphics, or `aqua` on Mac. The `wxt` value is an allround choice since `wxWidgets` work, in theory, on all platforms.

8.10 How Can The Aspect Ratio of The Axes Be Controlled?

See the section "Controlling the Aspect Ratio of Axes" in the tutorial.

8.11 Trouble with Gnuplot and Threads

When using the Gnuplot backend, the following error may be encountered:

```
thread.error: can't start new thread
```

A remedy is to create fewer plots, and for animations, update the plot window less frequently. For example,

```
for i in range(number_of_frames_in_animation):
    <prepare data>
    if i % == 100:      # plot every 100 frames
        <make plot>
```

8.12 Trouble with Movie Making

The call to `movie` demands that you have video encoders installed. The legal encoders are `mencoder`, `ffmpeg`, `mpeg_encode`, `ppmtompeg`, `mpeg2enc`, and `convert`. Some of these also require additional software to be installed.

To install (e.g.) `convert`, you need to install the ImageMagick software suite, since `convert` is a part of that package. ImageMagick is easy to install on most platforms. The `ppmtompeg` encoder is a part of the Netpbm software, while `mpeg2enc` is a part of `mjpegtools`.

On Linux Ubuntu you can issue the following installation command to install most of the available encoders for the `movie` function:

```
Unix> sudo apt-get install mencoder ffmpeg libavcodec-unstripped-51 netpbm mjpegtools imagemagick
```

When something goes wrong with the movie making, check the output in the terminal window. By default, Easyviz prints the command that makes the movie. You can manually copy this command and run it again to start finding out what can be wrong. Just switching to a different encoder can be a quick remedy. The switch is done with the `encoder` keyword argument to `movie`, e.g.,

```
# Make animated GIF movie in the file tmpmovie.gif
movie('tmp_*.png', encoder='convert', fps=2,
      output_file='tmpmovie.gif')
```

8.13 I Get Thread Errors with Gnuplot

When plotting inside a loop, e.g.,

```
for i in some_values:
    ...
    plot(t, X0, 'r-6', axis=(0, 1, -2, 2),
         xlabel='t', ylabel='Xt', title='My Title')
```

Gnuplot may lead to thread errors. A remedy is to do some plotting outside the loop and then only update the data inside the loop:

```
plot(t, X0, 'r-6', axis=(0, 1, -2, 2),
     xlabel='t', ylabel='Xt', title='My Title')
for i in some_values:
    ...
    plot(t, X0)
```

8.14 Where Can I Find Easyviz Documentation?

There is a verbose Easyviz documentation that mainly focuses on an introduction to Easyviz (what you read now is a part of that documentation).

Another useful source of information is the many examples that come with the SciTools/Easyviz source code. The examples are located in the `examples` subfolder of the source.

8.15 Grace Gives Error Messages When Calling Savefig/Hardcopy

Some versions of grace do not like commands for printing the plot to file. Try the interactive GUI: set options in Print setup... and then click on Print.

8.16 I Cannot Find Out How My Plot Can Be Created

Note that Easyviz only support the most basic types of plots:

- $y=f(x)$ curves
- bar plots
- contour plots of 2D scalar fields
- elevated 3D surfaces of 2D scalar fields
- 3D isosurfaces of 3D scalar fields
- arrows reflecting 2D/3D vector fields
- streamlines, streamtubes, and streamribbon for 3D vector fields.

For such standard plots you can use Easyviz, otherwise you have to use a plotting package like Matplotlib, Gnuplot, or VTK directly from your Python program.

The following Matlab-like commands (functions) are available (but not supported by all backends):

- `autumn`,
- `axes`,
- `axis`,
- `bone`,
- `box`,
- `brighten`,
- `camdolly`,
- `camlight`,

- camlookat,
- campos,
- camproj,
- camroll,
- camtarget,
- camup,
- camva,
- camzoom,
- caxis,
- cla,
- clabel,
- clf,
- close,
- closefig,
- closefigs,
- colorbar,
- colorcube,
- colormap,
- coneplot,
- contour,
- contour3,
- contourf,
- contourslice,
- cool,
- copper,
- daspect,
- dumpfig,
- figure,

- fill,
- fill3,
- flag,
- gca,
- (gcf,
- get,
- gray,
- grid,
- hardcopy,
- hidden,
- hold,
- hot,
- hsv,
- ishold,
- isocaps,
- isosurface,
- jet,
- legend,
- light,
- lines,
- loadfig,
- loglog,
- material,
- mesh,
- meshc,
- pcolor,
- pink,
- plot,

- plot3,
- prism,
- quiver,
- quiver3,
- reducevolum,
- savefig,
- semilogx,
- semilogy,
- set,
- shading,
- show,
- slice_,
- spring,
- streamline,
- streamribbon,
- streamslice,
- streamtube,
- subplot,
- subvolume,
- summer,
- surf,
- surfc,
- surfl,
- title,
- vga,
- view,
- white,
- winter,

- xlabel,
- ylabel,
- zlabel